



Date of Incident	11-11-2024
Prepared By	Doris Scipio
Reviewed By	Incident Report was reviewed by Alison Snyder on 11-12-2024 at 08:48 PM.
Property	Willow Bend
Time of Incident	10:36:00
Location of Incident	Front door of A Bldg

Report Last Updated By	Update Date
Alison Snyder	11-12-2024
Doris Scipio	11-12-2024

## **Incident Type**

Slip and Falls

### **Description of Incident**

Syreeta Henderson of A207 called the office at 10:36am on November 11 and reported to Ryan Green, Leasing Professional, that she just slipped and fell in the front vestibule. I called Syreeta Henderson to obtain an account of the slip and fall incident. I identified myself as Doris Scipio the Community Director of Willow Bend. I stated I received a message from Ryan Green that she (Ms. Henderson) fell in the vestibule. Ms. Henderson said that was correct. I asked her was she ok. She said aww yes. She then stated she was a "legal type of person" and then hung up. I called her back she answered. I said to her I was just calling her for the details of the incident. She then hung up again. I called her back she did not answer the phone. She refused to provide any information.

#### Corrective action taken at the time of the incident

I inspected the vestibule to ensure there where no trip hazards. No trip hazards were found.

#### What we have done related to Customer Service and helping the resident, if anything?

I called Ms. Henderson to see if I could help her in any type of way. She refused to speak to me. She hung up on me twice.

## Witnesses names and phone number

N/A

### Was there security camera footage of this incident?

Yes

### Link to security footage video in Box

https://lindyproperties.box.com/s/b56cvetxn68lmtj4kxrzlgf7u6ombw3j

#### Did this incident involve a resident?

Yes

Unit

A207

#### **Resident Name**

Syreeta Henderson

## Did this incident involve a Lindy team member?

No

# Did this incident involve a vendor?

No

## Should this incident be reported to the residents renters insurance policy?

No

