

Move Out Inventory & Condition Form

Inspection Date	Technician	Property	Units
12-17-2022	Simquetta Lovett	7400 Roosevelt	A309


Approved By	Nancy Benner
Resident Name	Tatyana Rollins
Forwarding Mailing Address 157 W Manheim Street Philadelphia PA 19132	
Date Resident Turned in Keys	12-14-2022

Damage Summary				
Main Category	Sub Category	Charges Type	Note	Charges
LIVING ROOM	Door / Closet	Replace	Mirror door broken	\$90.00
LIVING ROOM	Walls / Outlets	Repair	Multiple holes in wall needs repair	\$30.00
BEDROOMS	Door / Closet	Replace	Both mirror closet doors missing	\$150.00
BEDROOMS	Walls / Outlets	Repair	large hole in wall and behind door	\$50.00
BATHROOM	Other	Replace	Door knob missing from door must replace	\$35.00
BATHROOM	Towel Bar	Replace		\$25.00
Additional Damage Charges				
		-	Total Charges	\$380.00

LIVING ROOM:	
Ceilings / Lights:	Ok
Door / Closet:	Not Ok
Charges Type	Replace
Charges	
Comment	1 mirror door rail broken



Other:	Ok
Walls / Outlets:	Not Ok
Charges Type	Repair
Charges	
Comment	Multiple holes in wall



Window:	Ok
Window coverings:	Ok

DINING ROOM:	
Ceilings / Lights:	Ok
Walls / Outlets:	Ok
Window:	Ok
Window coverings:	Ok

KITCHEN:	
Backsplash:	Ok
Cabinets:	Ok
Ceiling Fan:	Ok
Ceiling Light Fixture:	Ok
Ceiling Lights:	Ok

Cleaning of Stove:	Ok
Counter Top:	Ok
Dishwasher:	Ok
Drip Pan:	Ok
Electric Meter:	Ok
Faucet:	Ok
Faucet Knobs:	Ok
Floors:	Ok
Formica/Tiles:	Ok
Garbage Disposal:	Ok
Kitchen Sink:	Ok
Microwave:	Ok
Other:	Ok
Oven / Range:	Ok
Oven Door Handle:	Ok
Oven Racks:	Ok
Range Top:	Ok
Refrigerator (Freezer):	Ok
Rubber Stopper:	Ok
Stove Knob:	Ok
Verify that either a Fire Stop (under the microwave) or FireAvert (behind the stove) exists.:	Ok
Wall Outlets:	Ok
Washer/Dryer:	Ok
Window Coverings:	Ok

BEDROOMS:	
Ceilings / Lights:	Ok
Door / Closet:	Not Ok
Charges Type	Replace
Charges	
Comment	Both mirror doors missing Bedroom missing door knob



Floors / Carpet:	Ok
Other:	Ok
Walls / Outlets:	Not Ok
Charges Type	Repair
Charges	
Comment	Large hole near bedroom window Small hole behind bedroom door



Window:	Ok
Window coverings:	Ok

BATHROOM:	
Cabinets / Mirror:	Ok
Ceiling Lights:	Ok
Cleaning Bathroom:	Ok
Complete Toilet:	Ok
Counter Top:	Ok
Floors:	Ok
Formica /Tile:	Ok
Is there signs of moisture from outside in the apartment?:	Ok
Medicine Cabinet:	Ok

Mirror Cabinet:	Ok
Other:	Not Ok
Charges Type	Replace
Charges	
Comment	Missing door knob



Remove Mildew on Tiles:	Ok
Shower Curtain Bar:	Ok
Shower Head:	Ok
Sink:	Ok
Soad Dish (Tub):	Ok
Soap Dish (Sink):	Ok
Toilet Paper Holder:	Ok
Toilet Tank:	Ok
Towel Bar:	Not Ok
Charges Type	Replace
Charges	
Comment	Missing



Tub Knob(s):	Ok
Tub Reglazing:	Ok

Vanity Cabinet:	Ok
Wall Outlets:	Ok
Window:	Ok

LOCKS:	
Door Knob:	Ok
Door Lock:	Ok
Ensure the apartment door has an automatic closure and closes properly. :	Ok
Fix Door when extra lock is removed:	Ok
Mail-Box Lock:	Ok

KEYS:	
Failure To Return Apartment Key:	Ok
Failure To Return Mailbox Key:	Ok

DOORS:	
Apartment Door:	Ok
Apartment Door closes automatically:	Ok
Frame:	Ok
Hollow:	Ok
Solid Core & Steel:	Ok

MISCELLANEOUS:	
Broken Window Glass (Per Pane):	Ok
Cabinet Equipment:	Ok
Carbon Monoxide Detector:	Ok
Cleaning of Apartment:	Ok
Clear Storage Locker:	Ok
Closet Shelves:	Ok
Common Area damaged during moveout:	Ok
Door Intercom System:	Ok
Exhaust Fan:	Ok
Fan Blades:	Ok
Fire extinguisher:	Ok
If fire stops have been installed throughout the property, ensure fire stops are installed.:	Ok

Light Globes:	Ok
Mini Blind(s) each:	Ok
Outside Lights:	Ok
Phone Jack:	Ok
Rallings:	Ok
Removal Of Bulk Items:	Ok
Remove Debris (Per Bag):	Ok
Sliding Mirror/Glass Door (2):	Ok
Smoke Detector Alarm:	Ok
Stoppage by foreign object in any drain:	Ok
Switch Plate Covers:	Ok
Thermostat Cover:	Ok
Vertical Blinds:	Ok
Vinly Tile Bathroom:	Ok
Vinly Tile Kitchen:	Ok
Window Screen(s) each:	Ok
Window Sills:	Ok

OVERALL:	
Signs of Moisture inside the apartment:	Ok
Signs of Moisture outside the apartment:	Ok

Resident	
Lindy Community Representative Name	Simquetta Lovett



Technician	Simquetta Lovett
Resident not available for signature	YES