



Move Out Inventory & Condition Form

Inspection Date: 01-30-2019

Technician: Alex Tentyuk

Property: Towers at Wyncote

Units: 809-3

CLEANLINESS:

Swept / Mopped: Not Ok



Closets cleared: Ok

Frig /Stove clean: Not Ok



No personal items: Ok

Other: Not Ok

LIVING ROOM:

Walls / Outlets: Ok

Ceilings / Lights: Ok

Window: Ok

Door / Closet: Ok

Window coverings: Ok

DINING ROOM:

Walls / Outlets: Ok

KITCHEN:

Cabinets: Ok

Cabinet Door: Ok

Cabinet Shelf: Ok

Cabinet Handle: Ok

Counter Top: Ok

Refrigerator (Freezer): Ok

Refrigerator (Shelf and Bars): Ok

Refrigerator (Drawers): Ok

Refrigerator Crisper Glass/Plastic: Ok

Cleaning Refrigerator: Not Ok

Dishwasher Rack: Ok

Dishwasher Silverware Holder: Ok

Dishwasher Knob: Ok

Fire Stops: Ok

Formica/Tiles: Ok

Stove Knob: Ok

Microwave: Ok

Cleaning of Stove: Not Ok

Garbage Disposal: Ok

Rubber Stopper: Ok

Oven Door Handle: Ok

Oven Racks: Ok

Kitchen Sink: Ok

Faucet Knobs: Ok

Floors: Ok

Faucet: Ok

Drip Pan: Ok

Range Hood: Ok

Ceiling Light Fixture: Ok

Backsplash: Ok

Washer/Dryer: Ok

Wall Outlets: Ok

Window Coverings: Ok

BEDROOMS:

Walls / Outlets: Ok

Ceilings / Lights: Ok

Floors / Carpet: Ok

Window: Ok

Window coverings: Ok

LOCKS:

Door Lock: Ok

Door Knob: Ok

Fix Door when extra lock is removed: Ok

Mail-Box Lock: Ok

KEYS:

Failure To Return Apartment Key: Ok

Failure To Return Mailbox Key: Ok

DOORS:

Apartment Door: Ok

Solid Core & Steel: Ok

Frame: Ok

Hollow: Ok

PAINTING:

Holes in Walls (Each Hole): Ok

MISCELLANEOUS:

Remove Debris (Per Bag): Ok

Removal Of Bulk Items: Ok

Clear Storage Locker: Ok

Closet Shelves: Ok

Cleaning of Apartment: Not Ok

Comment: Not clean

Common Area damaged during moveout: Ok

Technician: Alex Tentyuk

Resident not available for signature : Yes

Resident refused Signature : No