



Move-in Inventory & Condition Form

Inspection Date: 03-13-2018

Property: Towers at Wyncote

Units: 414-2

CLEANLINESS:

Swept / Mopped: Ok

Closets cleared: Ok

Frig /Stove clean: Ok


No personal items: Ok

Other: Ok

KITCHEN:

Cabinet Door: Not Ok

Comment: Test



Resident not available for signature :

Resident refused Signature :



Move-out Inventory & Condition Form

Inspection Date: 03-13-2018


Property: Towers at Wyncote

Units: 414-2

BATHROOM:

Toilet Tank Cover: Not Ok

Comment: Test test test



Remove Mildew on Tiles: Ok

Cleaning Bathroom: Ok

Wall Outlets: Ok

Floors: Ok

Cabinets / Mirror: Ok

Window: Ok

Other: Ok

LOCKS:

Door Lock: Ok

Door Knob: Ok

Fix Door when extra lock is removed: Ok

Mail-Box Lock: Ok

KEYS:

Failure To Return Apartment Key: Ok

Failure To Return Mailbox Key: Ok

DOORS:

Apartment Door: Ok

Solid Core & Steel: Ok

Frame: Ok

Hollow: Ok

PAINTING:

Over Dark Colors (Per Room): Ok

Holes in Walls (Each Hole): Ok

Wallpaper Removal (Per Room): Ok

Border Removal (Per Room): Ok

CARPET:

Shampoo 1 Bedroom: Ok

Shampoo 2 Bedroom: Ok

Stain Removal: Ok

Burns: Ok

Deodorize: Ok

Pet Treatment (Odor): Ok

Replace Carpet 1 Bedroom: Ok

Replace Carpet 2 Bedroom: Ok

MISCELLANEOUS:

Remove Debris (Per Bag): Ok

Removal Of Bulk Items: Ok

Clear Storage Locker: Ok

Closet Shelves: Ok

Window Sills: Ok

Window Screen(s) each: Ok

Broken Window Glass (Per Pane): Ok

Mini Blind(s) each: Ok

Vertical Blinds: Ok

Sliding Mirror/Glass Door (2): Ok

Carbon Monoxide Detector: Ok

Smoke Detector Alarm: Ok

Fire extinguisher: Ok

Cabinet Equipment: Ok

Vinly Tile Kitchen: Ok

Vinly Tile Bathroom: Ok

Exhaust Fan: Ok

Phone Jack: Ok

Fan Blades: Ok

Light Globes: Ok

Door Intercom System: Ok

Switch Plate Covers: Ok

Rallings: Ok

Outside Lights: Ok

Stoppage by foreign object in any drain: Ok

Thermostat Cover: Ok

Cleaning of Apartment: Ok

Common Area damaged during moveout: Ok

Resident not available for signature : Yes

Resident refused Signature : No