



Move-in Inventory & Condition Form

Inspection Date: 03-27-2018


Property: Towers at Wyncote

Units: 414-2

CARPET:

Shampoo 1 Bedroom: Not Ok

Comment: Test



Stain Removal: Ok

Burns: Ok

Deodorize: Ok

Pet Treatment (Odor): Ok

Replace Carpet 1 Bedroom: Ok

Replace Carpet 2 Bedroom: Ok

Resident not available for signature :

Resident refused Signature :



Move-out Inventory & Condition Form

Inspection Date: 04-10-2018

Property: Towers at Wyncote


Units: 414-2

KITCHEN:

Oven Racks: Ok

Kitchen Sink: Not Ok

Comment: Tati



MISCELLANEOUS:

Remove Debris (Per Bag): Ok

Removal Of Bulk Items: Ok

Clear Storage Locker: Ok
Closet Shelves: Ok
Window Sills: Ok
Window Screen(s) each: Ok
Broken Window Glass (Per Pane): Ok
Mini Blind(s) each: Ok
Vertical Blinds: Ok
Carbon Monoxide Detector: Ok
Smoke Detector Alarm: Ok
Cabinet Equipment: Ok
Vinly Tile Kitchen: Ok
Vinly Tile Bathroom: Ok
Exhaust Fan: Ok
Phone Jack: Ok
Fan Blades: Ok
Light Globes: Ok
Door Intercom System: Ok
Switch Plate Covers: Ok
Rallings: Ok
Outside Lights: Ok
Stoppage by foreign object in any drain: Ok
Thermostat Cover: Ok
Cleaning of Apartment: Ok
Common Area damaged during moveout: Ok
Resident not available for signature : Yes
Resident refused Signature : No