



Move Out Inventory & Condition Form

Inspection Date: 09-17-2019

Technician: John Saurman

Property: Towers at Wyncote

Units: 120-1

CLEANLINESS:

Swept / Mopped: Ok

Closets cleared: Ok

Frig /Stove clean: Ok

No personal items: Ok

Other: Ok

LIVING ROOM:

Walls / Outlets: Ok

Ceilings / Lights: Ok

Window: Ok

Door / Closet: Ok

Window coverings: Ok

Other: Ok

DINING ROOM:

Walls / Outlets: Ok

Ceilings / Lights: Ok

Window: Ok

Window coverings: Ok

KITCHEN:

Cabinets: Ok

Cabinet Door: Ok

Cabinet Shelf: Ok

Cabinet Handle: Ok

Counter Top: Ok

Refrigerator (Freezer): Ok

Refrigerator (Shelf and Bars): Ok
Refrigerator (Drawers): Ok
Refrigerator Crisper Glass/Plastic: Ok
Cleaning Refrigerator: Ok
Dishwasher Rack: Ok
Dishwasher Silverware Holder: Ok
Dishwasher Knob: Ok
Fire Stops: Ok
Formica/Tiles: Ok
Stove Knob: Ok
Microwave: Ok
Cleaning of Stove: Ok
Garbage Disposal: Ok
Rubber Stopper: Ok
Oven Door Handle: Ok
Oven Racks: Ok
Kitchen Sink: Ok
Faucet Knobs: Ok
Floors: Ok
Faucet: Ok
Drip Pan: Ok
Range Hood: Ok
Range Top: Ok
Ceiling Light Fixture: Ok
Backsplash: Ok
Washer/Dryer: Ok
Wall Outlets: Ok
Window Coverings: Ok
Other: Ok

BEDROOMS:

Walls / Outlets: Ok
Ceilings / Lights: Ok
Floors / Carpet: Ok
Window: Ok
Window coverings: Ok
Door / Closet: Ok

Other: Ok

BATHROOM:

Mirror and Medicine Cabinet: Ok

Vanity Cabinet: Ok

Sink: Ok

Toilet Tank Cover: Ok

Toilet Tank: Ok

Toilet Bowl: Ok

Complete Toilet: Ok

Toilet Paper Holder: Ok

Shower Head: Ok

Tub Knob(s): Ok

Shower Curtain Bar: Ok


Towel Bar: Ok

Tub Reglazing: Ok

Counter Top: Ok

Soap Dish (Sink): Ok

Remove Mildew on Tiles: Not Ok



Cleaning Bathroom: Ok

Wall Outlets: Ok

Floors: Ok

Cabinets / Mirror: Ok

Window: Ok

Other: Ok

Is there signs of moisture from outside in the apartment?: Ok

LOCKS:

Door Knob: Ok

DOORS:

Apartment Door: Ok

Solid Core & Steel: Ok

Frame: Ok

Hollow: Ok

CARPET:

Shampoo 1 Bedroom: Ok

Technician: John Saurman

Resident not available for signature : Yes

Resident refused Signature : No